



AKUMULATORY EAST PENN DEKA MANUFACTURING CO. INC.

MODEL	POJEMNOŚĆ		WYMIARY (mm)			PRĄD ROZRUCHOWY		BIEGUN +	OPIS	
	R C	Ah	D	Sz	W	C.A.	C.C.A.			
EXACT FIT										
640RMF	105	72	278	175	175	810	650	P	SILVER	
641MF	100	75	293	175	175	800	650	P	SILVER VW	
642MF	70	56	242	175	175	590	475	P	SILVER VW	
647MF	95	63	242	175	190	750	600	P	SILVER	
548MF	95	70	278	175	190	755	615	P	SILVER	
648MF	120	77	278	175	190	850	680	P	SILVER	
649MF	185	110	354	175	190	1080	900	P	SILVER	
690MF	90	61	242	175	175	745	600	P	SILVER	
691MF	100	74	278	175	175	875	700	P	SILVER	
693MF	130	92	354	175	175	960	800	P	SILVER	
694RMF	135	85	315	175	190	910	765	P	SILVER	
695RMF	190	115	394	175	190	1020	850	P	SILVER	
696RMF	90	62	242	175	175	745	600	P	SILVER	
ULTIMATE										
727FMF	140	105	321	171	229	1010	840	P	JAP USA	
727MF	140	105	321	171	229	1010	840	L	JAP USA	
734MF	115	85	273	175	203	1020	850	L	SILVER	
734RMF	115	85	273	175	203	1020	850	P	SILVER	
735MF	95	70	248	178	225	775	625	P	SILVER	
748MF	120	90	278	175	190	895	730	P	SILVER EU	
765MF	140	95	305	187	194	885	750	L	SILVER USA	
775DT	90	75	248	178	206	820	690	F + C	SILVER USA	
775MF	90	75	248	178	184	820	690	F	SILVER USA	
778MF	115	85	273	175	184	1020	850	F	SILVER USA	
778DT	115	85	273	175	203	1020	850	F+C	SILVER USA	
779MF	140	91	307	179	188	1000	840	F	HUMMER	
786MF	90	75	229	175	206	775	690	L	SILVER	
PRO MASTER										
GC10	-	215	260	181	276	-	-	U + G	MELEX 6V	
GC15	-	230	260	181	276	-	-	U+G	MELEX 6V	
9C12D	-	228	394	178	362	-	-	P+G	12VTRAKC	
8KFSD	-	135	342	171	292	-	-	P	12VTRAKC	

ORIGINAL EQUIPMENT

6121RMF	80	55	210	177	206	665	540	P	KIA HYUND.
6124RMF	100	72	260	175	212	810	670	P	HYUNDAI
624MFD	115	80	273	171	229	850	675	L	DRY
624FMF	115	80	273	171	229	850	675	P	
525MF	90	70	248	175	225	675	550	L	
426RMF	55	46	222	171	203	560	450	P	ADAPTER
426MF	55	46	222	171	203	560	450	L	ADAPTER
426G	55	46	222	171	203	560	450	L ^S	
526RMF	80	55	222	171	203	665	540	P	ADAPTER
526MF	80	55	222	171	203	665	540	L	ADAPTER
627MF	120	95	314	171	229	860	710	L	JAP USA
627FMF	120	95	314	171	229	860	710	P	JAP USA
534MF	90	69	273	175	203	690	550	L	ADAPTER
634MF	110	85	273	175	203	820	690	L	ADAPTER
634RMF	110	85	273	175	203	820	690	P	ADAPTER
535MF	90	60	248	175	225	675	550	P	JAP USA
636RMF	120	90	260	184	203	800	650	P	
545MF	65	55	238	140	229	600	485	L	JOHN DEER
650MF	108	78	340	136	225	750	600	L	ECONOLINE
551MF	70	60	238	127	222	560	450	L	JAP USA
551RMF	70	60	238	127	222	560	450	P	JAP USA
651RMF	75	65	238	127	222	600	500	P	JAP USA
655MF	90	70	222	152	216	705	570	P	
442/58R	75	58	254	184	175	630	500	P	PROBE
642/58R	85	64	254	184	175	725	580	P	PROBE
658RMF	85	65	254	184	175	725	580	P	PROBE
658MF	85	65	254	184	175	725	580	L	
659MF	100	80	241	189	190	700	590	L	
664MF	100	72	298	159	225	770	620	P	
565MF	130	90	305	187	194	890	675	L	FRAM
665MF	150	110	305	187	194	1035	875	L	FRAM
570MF	80	60	222	178	181	665	540	F	USA
575MF	85	64	248	178	184	670	540	F	USA
675MF	85	65	248	178	184	800	650	F	USA
578MF	90	72	273	175	184	690	550	F	USA SUV
678MF	110	80	273	175	184	820	690	F	USA SUV
578DT	90	75	273	175	203	660	550	F+C	USA DT
678DT	110	80	273	175	203	820	690	F+C	USA DT
685MF	110	80	229	175	206	775	650	P	
586MF	85	60	229	175	206	675	540	L	JAP USA
6101MF	110	80	260	179	170	810	650	F	CADILLAC

MARINE MASTER DEEP CYCLE										
DC24	-	75	273	171	238	625	500	L+G	TRAKCJA	
DC27	-	90	318	171	238	715	575	L+G	TRAKCJA	
DC31DT	-	105	330	171	241	810	650	L+G	TRAKCJA	
MARINE MASTER DUAL PURPOSE										
DP24	-	85	273	171	238	685	550	L+G	TRAK ROZR	
DP27	-	95	318	171	238	810	650	L+G	TRAK ROZR	
DP31DT	-	115	330	171	241	875	700	L+G	TRAK ROZR	
MARINE MASTER STARTING										
24M4	70	70	273	171	238	575	460	L+G	MARINE RV	
24M7	130	90	273	171	238	1000	800	L + G	MARINE RV	
27M6	182	105	318	171	238	1050	840	L	MARINE RV	
READY POWER										
VL24/24R	70	60	273	171	229	550	440	C		
VL26	55	45	222	171	203	550	440	L	AVEO	
VL70DT	-	46	222	178	203	560	-	F+C	USA	
VL31PX	170	128	330	171	241	1135	925	C	CAT	
INTIMIDATOR										
8A4D	413	198	527	216	254	1420	1110	P	AGM	
8AU1H	45	32	197	130	184	240	200	LŚ	AGM	
8AMU1R	45	33	213	130	184	400	320	P	MIATA	
8A22NF	85	55	238	140	235	420	350	LŚ	AGM	
8A24M	135	79	276	171	251	800	525	L+G	AGM MAR	
8A27M	175	92	324	171	251	900	580	L+G	AGM MAR	
9A31P	190	110/100	330	171	241	1060	925	C	AGM	
8A31DTM	200	105	329	171	238	1000	800	L+G	AGM	
9A34M	120	75/55	273	175	212	955	775	L+G	AGM MAR	
9A34R	120	75/55	273	175	203	955	775	P	AGM	
9A34	120	75/55	273	175	203	955	775	L	AGM	
9A35/85	100	50	248	175	197	810	680	P	AGM Adapt	
9A47	100	60	242	175	190	690	600	P	AGM EU	
9A48	120	70	278	175	190	875	760	P	AGM EU	
9A49	170	100	354	175	190	975	850	P	AGM EU	
9A51P	60	46	238	127	222	390	325	L cienki	PRIUS	
9A65	150	75	305	187	194	955	775	L	AGM FRAM	
9A75DT	100	50	248	180	202	810	680	L + L	AGM Adapt	
9A78	120	75/55	273	175	184	955	775	F	AGM USA	
9A78DT	120	75/55	273	175	203	955	775	F+C	AGM USA	
9A94R	140	80	315	175	190	920	800	P	AGM EU	
9A95R	190	115	394	175	190	1090	950	P	AGM EU	
ORDNANCE										
2HND	75	50	260	133	229	-	400	P	US ARMY	

OUTDOORSMAN

7U1L	-	22	197	130	184	235	195	L	MOWER	
7U1R	-	22	197	130	184	235	195	P	MOWER	
8U1LD	-	28	197	130	184	275	230	L	MOWER	
8U1RD	-	28	197	130	184	275	230	P	MOWER	
10U1L	-	32	197	130	184	365	300	L	MOWER	
10U1R	-	32	197	130	184	365	300	P	MOWER	

DOMINATOR

8GGC2	345	180	260	181	276	850	585	U + G	GEL	
8GU1	44	32	197	130	184	290	200	LŚ	GEL	
8G5SHP	B/D	125	345	172	290	B/D		P	GEL	
8G22NF	77	51	238	140	235	300	210	LŚ	GEL	
8G24M	132	74	276	171	235	575	410	L+G	GEL	
8G27M	160	88	324	171	235	700	505	L+G	GEL	
8G34R	90	61	259	169	178	420	300	PW	GEL	
8G40C	59	40	197	168	175	325	225	PW	GEL	
8G31DTM	180	98	329	171	238	780	550	L+G	GEL	

PRECISION BUILT

403E	95	70	489	108	229	485	400	L	12 VOLT	
429NF	90	65	327	140	229	465	390	P	12 VOLT	
353	60	50	330	121	213	375	300	L	12 VOLT	
901MF	130	105	229	175	222	800	640	U	6 VOLT	
902	185	170	264	175	222	840	675	U	6 VOLT	
93EH	250	190	489	108	254	1035	875	C	6 VOLT	
93ET	120	85	489	108	251	625	500	C	12 VOLT	
904MF	250	210	318	175	241	1170	975	U	6 VOLT	
94DLT	240	190	508	206	206	1005	850	U	12 VOLT	
319L	120	82	210	171	191	560	440	U	6 VOLT	
1031PMF	170	125	330	171	241	910	760	C	12 VOLT	
1131PMF	175	130	330	171	241	1140	950	C	12 VOLT	
1231PMF	185	135	330	171	241	1190	1000	C	12 VOLT	
7T31P	190	140	330	171	241	940	730	C	12V SHD	
DP31CS	185	135	330	171	241	875	700	CŚ	12V DP	
1131MF	175	130	330	171	241	1140	950	CŚ	12 VOLT	
1231MFD	185	135	330	171	241	1190	1000	CŚ	12 VOL	
904DY	290	198	527	216	258	1280	1050	P	12 VOLT	
907DY	350	245	400	178	232	1120	-	U	6 VOLT	
908DY	430	245	527	279	254	1700	1400	L	12 VOLT	

SPORTS POWER

ETX9	-	8	150	88	106	-	120	L	AGM	
ETX12	-	10	50	88	130	-	180	L	AGM	
ETX14	-	12	150	88	145	-	220	L	AGM	

ETX14L	-	12	150	88	145	-	220	P	AGM	
ETX15	-	14	134	90	166	-	220	L	AGM	
ETX15L	-	14	134	90	166	-	220	P	AGM	
ETX16	-	19	175	100	155	-	325	L	AGM	
ETX16L	-	19	175	100	155	-	325	P	AGM	
ETX18L	-	20	206	91	163	-	340	P	AGM	
ETX20L	-	17,5	175	88	155	-	310	P	AGM	
ETX30L	-	26	168	131	175	-	400	P	AGM	